

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/295,607	04/22/1999	SHUNPEI YAMAZAKI	0756-1961	7371

7590

01/14/2003

SIXBEY, FRIEDMAN, LEEDOM & FERGUSON, P.C.  
8180 GREENBORO DRIVE, SUITE 800  
MC LEAN, VA 22102

EXAMINER

LOKE, STEVEN HO YIN

ART UNIT	PAPER NUMBER
----------	--------------

2811

DATE MAILED: 01/14/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/295,607

Applicant(s)

YAMAZAKI ET AL.

Examiner

Steven Loke

Art Unit

2811

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 30 October 2002.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 2,3,6-8,11,12,15-17,19-35 and 37-67 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 2,3,6-8,11,12,15-17,19-35 and 37-67 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.  
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).  
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 37,40,43. 6) ☐ Other: \_\_\_\_\_

Art Unit: 2811

1. Claim 22 is objected to because of the following informalities: Line 4, ":" should be change to ";". Appropriate correction is required.
2. Claims 43-53, 55 and 58 are rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Fig. 12(A) discloses a silicon oxide film [1105] is formed on an amorphous silicon region [1104]. The amorphous silicon [1104] is then crystallized by laser irradiation through the silicon oxide film [1105]. The specification never discloses the channel formation region is crystallized by laser irradiation through a layer comprising silicon nitride on the channel formation region as claimed in claims 43-53, 55 and 58.

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 60-67 are rejected under 35 U.S.C. 103(a) as being unpatentable over Troxell et al. in view of Ikeda (Japanese patent no. 59-121876 in PTO-1449), further in view of Shimada et al.

In regards to claims 60 and 61, Troxell et al. discloses a semiconductor device in fig.

1. It comprises: a polycrystalline silicon thin film transistor formed on a glass substrate [10]; a silicon nitride layer [14] and silicon dioxide layer [16] formed on the top surface of

Art Unit: 2811

the glass substrate [10] and a silicon nitride layer [12] formed on the bottom surface of the glass substrate [10].

Troxell et al. differs from the claimed invention by not showing an AlN layer formed on the rear surface and the top surface of the substrate.

Ikeda shows an AlN layer [12] formed on the rear surface and the top surface of a glass substrate [11] in fig. 1(c).

Since both Troxell et al. and Ikeda teach an insulating layer formed on a glass substrate, it would have been obvious to have the AlN layer of Ikeda formed on the rear surface and the top surface of the glass substrate of Troxell et al. because they prevent a thin film device from deforming at the time of forming the device. The combined device shows a composite insulating film comprising AlN and oxygen provided over the front surface of the glass substrate.

Troxell et al. further differs from the claimed invention by not showing a pixel electrode over the leveled interlayer insulating film.

Shimada et al. discloses a semiconductor device in figs. 1-3. It comprises: a polycrystalline silicon thin film transistor formed on a glass substrate [11]; the thin film transistor having a channel formation region comprising crystalline silicon, a gate insulating film [13] adjacent to the channel formation region, and a gate electrode [3a] adjacent to the channel formation region with the gate insulating film interposed therebetween; an interlayer insulating film [17] having a leveled upper surface over the transistor; a pixel electrode [4] over the interlayer insulating film [17].

Art Unit: 2811

Since both Troxell et al. and Shimada et al. teach an insulated gate field effect transistor serves as pixel control switch in the liquid crystal display, it would also have been obvious to have the interlayer insulating film and the pixel electrode of Shimada et al. in Troxell et al. because the interlayer insulating film can protect the transistor and the pixel electrode can provide an image from the transistor.

In regards to claims 62, 63, the combined device discloses a glass substrate.

In regards to claims 66, 67, the combined device shows the insulating AlN layer has an aluminum to nitrogen ratio of 1.0.

In regards to claims 64, 65, it is well known in the semiconductor art that aluminum nitride has a thermal conductivity of 0.6 W/cm K or higher.

5. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

6. Claims 2, 3, 6, 7, 8, 11, 12, 15-17, 19, 20, 22-26, 28-35, 37, 38, 40-49 and 51-53 are rejected under the judicially created doctrine of obviousness-type double

Art Unit: 2811

patenting as being unpatentable over claims 15-26 of U.S. Patent No. 5,583,369

(Yamazaki et al.) in view of Troxell et al.

Yamazaki et al. discloses a SOI device in fig. 12(E). It comprises: an AlN layer [1102] containing at least one of boron, silicon, carbon and oxygen formed on a top surface and a bottom surface of a glass substrate [1101]; an oxide layer [1103] formed on the AlN layer [1102]; an insulated gate field effect transistor formed on the substrate.

Yamazaki et al. differs from the claimed invention by not showing the channel region comprising crystalline silicon.

Troxell et al. discloses a semiconductor device in fig. 1. It comprises: a polycrystalline silicon thin film transistor formed on a glass substrate [10].

Since both Yamazaki et al. and Troxell et al. teach an insulated gate field effect transistor formed on a glass substrate, it would have been obvious to have the crystalline silicon film of Troxell et al. in Yamazaki et al. because it improves the electron mobility of the thin film transistor structure.

In regards to claims 3, 7, 20, it is well known in the semiconductor art that aluminum nitride has a thermal conductivity of 0.6 W/cm K or higher.

In regards to claims 22-24, Ikeda shows the insulating AlN layer [12] has an aluminum to nitrogen ratio of 1.0.

In regards to claims 43-49, 51-53, Troxell et al. shows a silicon dioxide layer [28] formed on the polycrystalline silicon layer [20] in fig. 1.

In regards to claims 43-49, 51-53, the process limitation of how the channel formation region is formed has no patentable weight in claim drawn to structure. Note

Art Unit: 2811

that a "product by process" claim is directed to the product per se, no matter how actually made, *In re Hirao*, 190 USPQ 15 at 17 (footnote 3). See also *In re Brown*, 173 USPQ 685; *In re Luck*, 177 USPQ 523; *In re Fessmann*, 180 USPQ 324; *In re Avery*, 186 USPQ 161; *In re Wertheim*, 191 USPQ 90 (209 USPQ 554 does not deal with this issue); and *In re Marosi et al*, 218 USPQ 289, all of which make it clear that it is the patentability of the final product per se which must be determined in a "product by process" claim, and not the patentability of the process, and that an old or obvious product by a new method is not patentable as a product, whether claimed in "product by process" claims or not. Note that applicant has the burden of proof in such cases, as the above caselaw makes clear.

Thus, the phrase "crystallized by laser irradiation through a layer comprising at least one of silicon oxide and silicon nitride" is thus non-limiting.

7. Claims 21, 27, 39 and 50 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 15-26 of U.S. Patent No. 5,583,369 (Yamazaki et al.) in view of Mano et al.

Yamazaki et al. discloses a SOI device in fig. 12(E). It comprises: an AlN layer [1102] containing at least one of boron, silicon, carbon and oxygen formed on a top surface and a bottom surface of a glass substrate [1101]; an oxide layer [1103] formed on the AlN layer [1102]; an insulated gate field effect transistor formed on the substrate.

Yamazaki et al. differs from the claimed invention by not showing the channel region comprising crystalline silicon.



Art Unit: 2811

Mano et al. discloses a semiconductor device in fig. 7. It comprises: a polycrystalline silicon thin film transistor formed on a quartz substrate [408].

Since both Yamazaki et al. and Mano et al. teach an insulated gate field effect transistor formed on a substrate, it would have been obvious to have the crystalline silicon film of Mano et al. in Yamazaki et al. because it improves the electron mobility of the thin film transistor structure.

In regards to claims 45, 50, Mano et al. shows a silicon oxide gate insulating film [412] formed on the polycrystalline silicon [409] in fig. 7.

In regards to claims 45, 50, the process limitation of how the channel formation region is formed has no patentable weight in claim drawn to structure. Note that a "product by process" claim is directed to the product per se, no matter how actually made, *In re Hirao*, 190 USPQ 15 at 17 (footnote 3). See also *In re Brown*, 173 USPQ 685; *In re Luck*, 177 USPQ 523; *In re Fessmann*, 180 USPQ 324; *In re Avery*, 186 USPQ 161; *In re Wertheim*, 191 USPQ 90 (209 USPQ 554 does not deal with this issue); and *In re Marosi et al*, 218 USPQ 289, all of which make it clear that it is the patentability of the final product per se which must be determined in a "product by process" claim, and not the patentability of the process, and that an old or obvious product by a new method is not patentable as a product, whether claimed in "product by process" claims or not. Note that applicant has the burden of proof in such cases, as the above caselaw makes clear.

Thus, the phrase "crystallized by laser irradiation through a layer comprising at least one of silicon oxide and silicon nitride" is thus non-limiting.

8. Claims 54-67 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 15-26 of U.S. Patent No. 5,583,369 (Yamazaki et al.) in view of Shimada et al.

Yamazaki et al. discloses a SOI device in fig. 12(E). It comprises: an AlN layer [1102] containing at least one of boron, silicon, carbon and oxygen formed on a top surface and a bottom surface of a glass substrate [1101]; an oxide layer [1103] formed on the AlN layer [1102]; an insulated gate field effect transistor formed on the substrate.

Yamazaki et al. differs from the claimed invention by not showing the channel region comprising crystalline silicon, and an interlayer insulating film having a leveled upper surface over the transistor and a pixel electrode over the interlayer insulating film.

Shimada et al. discloses a semiconductor device in figs. 1-3. It comprises: a polycrystalline silicon thin film transistor formed on a glass substrate [11]; the thin film transistor having a channel formation region comprising crystalline silicon, a gate insulating film [13] adjacent to the channel formation region, and a gate electrode [3a] adjacent to the channel formation region with the gate insulating film interposed therebetween; an interlayer insulating film [17] having a leveled upper surface over the transistor; a pixel electrode [4] over the interlayer insulating film [17].

Since both Yamazaki et al. and Shimada et al. teach an insulated gate field effect transistor formed on a substrate, it would have been obvious to have the crystalline silicon film of Shimada et al. in Yamazaki et al. because it improves the electron mobility of the thin film transistor structure. It would also have been obvious to have the interlayer insulating film and the pixel electrode of Shimada et al. in Yamazaki et al.

Art Unit: 2811

because the interlayer insulating film can protect the transistor and the pixel electrode can provide an image from the transistor.

In regard to claims 55, 58, Shimada et al. shows a silicon oxide gate insulating film [13] formed on the polysilicon layer [12] in figs. 1-3.

In regards to claims 55, 58, the process limitation of how the channel formation region is formed has no patentable weight in claim drawn to structure. Note that a "product by process" claim is directed to the product per se, no matter how actually made, In re Hirao, 190 USPQ 15 at 17 (footnote 3). See also In re Brown, 173 USPQ 685; In re Luck, 177 USPQ 523; In re Fessmann, 180 USPQ 324; In re Avery, 186 USPQ 161; In re Wertheim, 191 USPQ 90 (209 USPQ 554 does not deal with this issue); and In re Marosi et al, 218 USPQ 289, all of which make it clear that it is the patentability of the final product per se which must be determined in a "product by process" claim, and not the patentability of the process, and that an old or obvious product by a new method is not patentable as a product, whether claimed in "product by process" claims or not. Note that applicant has the burden of proof in such cases, as the above caselaw makes clear.

Thus, the phrase "crystallized by laser irradiation through a layer comprising at least one of silicon oxide and silicon nitride" is thus non-limiting.

In regards to claims 64, 65, it is well known in the semiconductor art that aluminum nitride has a thermal conductivity of 0.6 W/cmK or higher.

9. Applicant's arguments filed 10/30/02 have been fully considered but they are not persuasive.

Art Unit: 2811

It is urged, in page 2 of the remarks, that fig. 1(A) and page 16, second paragraph of the specification disclose a silicon nitride layer film 104 is formed on a semiconductor film 103, and the semiconductor film 103 is crystallized by laser irradiation through the silicon nitride film 104. However, the silicon nitride 104 of fig. 1(A) is belonged to an embodiment differs from the claimed invention. The present invention is directed to an embodiment in fig. 12(E). The silicon nitride layer 104 of fig. 1(A) would be remove after a laser pulse irradiates the amorphous silicon film 103. However, the insulating layer [1105] of fig. 12(E) would remain on the channel layer after a laser pulse irradiates the channel layer.

It is urged, in pages 2-3 of the remarks, that neither Troxell et al. nor Ikeda teaches an insulating film comprising aluminum nitride and oxygen. However, the combined device of Troxell et al. and Ikeda discloses a composite layer comprising aluminum nitride and oxygen (the composite layer comprising the aluminum nitride layer [12] of Ikeda and the silicon dioxide layer [16] of Troxell et al.).

Since the Examiner have not received the Terminal Disclaimer, claims 2, 3, 6-8, 11, 12, 15-17, 19, 20, 22-26, 28-35, 37, 38, 40-49 and 51-53 are still rejected under judicially created doctrine of obviousness-type double patenting.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steven Loke whose telephone number is (703) 308-4920. The examiner can normally be reached on 7:50 am to 5:20 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tom Thomas can be reached on (703) 308-2772. The fax phone numbers

Art Unit: 2811

for the organization where this application or proceeding is assigned are (703) 308-7722 for regular communications and (703) 308-7722 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

sl  
January 11, 2003

Special  
Primary Examiner

*Steven Loke*